Conservation biology of threatened native olives (genus *Notelaea*) in southern Queensland

Chapa Gimhani Manawaduge

Queensland University of Technology







Principal Supervisor: Dr Susan Fuller

Associate Supervisor: Associate Prof Matthew Phillips

Introduction...

• To establish appropriate conservation & management regimes, it is important to explore the reasons for rarity





N. ipsviciensis & N. lloydii – rare & threatened (EPBC Act, 1999 & NCA Act, 1992)



N. longifolia & N. ovata – common

Objective of this Study

 To improve our knowledge & understanding of the conservation biology of two endemic, threatened Notelaea species in southern Queensland

Conduct a comparative life history analysis of rare Vs common *Notelaea* spp.

Study the reproductive biology of rare *Notelaea* spp.


Objectives

Study the population genetics of rare *Notelaea* spp.


Conduct phylogenetic and morphometric analyses on the genus *Notelaea*

Preliminary results...

 SNP data of a small number of samples & populations of N. Iloydii shows genetic structure & limited gene flow among populations Flowering & fruiting data of N. Iloydii & N. ovata suggest that both N. Iloydii & N. ovata currently exhibit poor reproductive success




PCoA plot of seven N. lloydii populations



Error bar plot for the fruit survival rates of each species during
October 2017 to February 2018
(error bars: ± 1 SE)

Notes on *N. ovata* ...

- Flowering & fruiting limited only to few individuals
- Overall fruit survival rate was almost zero
- Only a few juvenile plants were observed at the three N. ovata sites



• SNP analysis will be undertaken for *N. ovata*





THANK YOU!!!

- WCSP. (2016). World Checklist of Selected Plant Families. Facilitated by the Royal Botanic Gardens, Kew.
- EPBC Act- Australian Environment Protection and Biodiversity Conservation Act 1999
- NCA Act- Queensland Nature Conservation Act 1992