A Wedge in the Gap

geno**us** Gap




Acknowledgement of Country

 I wish to acknowledge the traditional owners of the lands of the land on which we gather today. The Turrbal and Jagera people as well as pay our respects to their Elders, past, present and future.

About Me

- I am a psychologist and educator who has spent 30 years working in the Northern Territory.
- My work has focussed on identifying and mitigating the impacts of widespread hearing loss among Indigenous people.



OTITIS MEDIA - A DISEASE OF DISADVANTAGE

Most common reason children visit doctors

But some experience it earlier, longer more often

The socially and economically disadvantaged

- → Crowded housing
- → Poor nutrition
- → Poor access to medical treatment
- → Possible anatomical predispositions



We all live in this house


Conductive Hearing Loss

Sound is conducted through the outer and middle ear.

Mist often caused by middle ear infections.

Often temporary but if damage to middle ear structures through repeated infections can be permanent.

The massive level of hearing loss among Indigenous people is because of this kind of ear infection driven conductive hearing loss.



What starts in difficulties hearing what is said, ends up in also having difficulties understanding what is heard



Past and current effects of hearing loss

The legacy effects to past hearing loss . These can include

- Limited language and literacy
- Low confidence
- Limited knowledge
- Avoidance as way of coping

Current hearing loss and/or auditory processing problems effect on communication



QUEENSLAND ROYAL SOCIETY FEB 2019 s

LONG TERM IMPACTS OF EARLY ONSET HEARING LOSS

Childhood Conductive Hearing Loss



Schooling

EMPLOYMENT

Health

SOCIAL AND EMOTIONAL

WELLBEING

Criminal justice

SCHOOLING

Children with hearing loss treated as having **BEHAVIOUR** problems

DIFFICULTIES learning

Poorer ATTENDANCE

Lower **ACHIEVEMENT**

https://www.youtube.com/watch?v=RekkOtpWQyU

QUEENSLAND ROYAL SOCIETY FEB 2019 s

EMPLOYMENT

More **UNEMPLOYMENT**

Lower INCOME

TRAINING challenges

COMMUNICATION difficulties

Difficulties with **CHANGE**



For more information on this watch: https://www.youtube.com/watch?v=Aj20fGQMwYo



HEALTH

Adult hearing loss is associated with

a greater risk of:

Avoidance

Chronic disease

Limited health information


Wasted resources



Hearing loss **LIMITS ACCESS** to health services and communication and treatment outcomes when accessed.



SOCIAL AND EMOTIONAL WELLBEING





CRIMINAL JUSTICE

More often ARRESTED, CONVICTED AND IMPRISONED

Difficulties with **COMMUNICATION** with police, in court, in prison

Prison further **ISOLATES**



94% of Indigenous inmates in The NT found to have a **significant Hearing Loss** (21 decibels in better ear)

A WEDGE IN THE GAP

Programs to address Indigenous disadvantage to not consider hearing loss

Programs often fail to engage or obstruct outcomes


What can be done?



Widespread early onset hearing loss




RECOMENDATION OF THE 2017 AMA INDIGENOUS HEALTH REPORT CARD



"A national approach to developing hearing loss-responsive communication strategies in all government and non-government agencies providing services to Indigenous people including - but not limited to - health, mental health, justice, and employment services."

HEARING LOSS Responsive Communications Training Sector specific training



www.phoenixtraining.online

Prepare those providing services to Indigenous people to

- Understand hearing loss and its impacts
- How to communicate more effectively
- How to create culturally familiar processes
 by collaborating with local people

For more information

- Dr Damien Howard
- Email
- www.phoenixtraining.online

